

AEROSTAND™


**ISO 9002 &
ISO 14001
certified**
HIGH QUALITY AND CONSISTENCY



**Rubber Load
Supporter for
Air-Condensing
Units**

AEROSTAND™

Rubber Load Supporter for Air-Condensing Unit



AEROSTAND, made from natural rubber blended with EPDM synthetic rubber, is a load supporter especially designed for air-condensing units. This stand possesses both high compressive strength and good weathering resistance.

AEROSTAND can withstand loads of up to 60 kgs. per piece. Easy to install with bolt & nut prefixed.

Very effective in reducing vibration and noise level. Reduced vibration helps prolong service life of the air-condensing unit.

Available in 2 sizes :

- 100 mm (4") high
- 75 mm (3") high

SPECIFICATION :

MATERIAL	:	NR/EPDM Blended Rubber
COLOR	:	Black
TENSILE STRENGTH	:	Minimum 6.5 Mpa
ELONGATION	:	Minimum 250 %
HARDNESS	:	70±5 Shore A
COMPRESSION STRENGTH AT 10% DEFLECTION	:	Minimum 0.75 N/mm ²
MAXIMUM COMPRESSION STRENGTH	:	Minimum 5.0 N/mm ²
TEAR STRENGTH	:	Minimum 15 kgf/cm

SIZE AVAILABLE :

Product Code	Height	Packing	Carton Size
AS 075	75 mm (3")	18 Set / Carton	32.5 x 38.5 x 23
AS 100	100 mm (4")	18 Set / Carton	32.5 x 38.5 x 28

Remark : 1 Set Consists of 4 Pieces.
18 Sets per Carton

Manufactured by :



AEROFLEX INTERNATIONAL COMPANY LIMITED

770 MU 6, TEPARAK RD., TEPARAK, SAMUTPRAKARN 10270, THAILAND.
TEL: (66 2) 383 6599 FAX: (66 2) 383 6531, 759 5550
E-mail : marketing@aic.th.com <http://www.aeroflexinsulation.com>

Distributor :